

SAFETY DATA SHEET



This safety data sheet was created pursuant to the requirements of:
UK REACH Regulations (SI 2019/758 as amended)

Revision date 20/05/2025

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name All Clean - Maxoddus Ltd

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Automotive Care

Uses advised against Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier

Maxoddus Ltd.
C/O Ascot Drummond
Devonshire House
Manor Way
Borehamwood
Hertfordshire
WD6 1QQ
+44 7366 496073
Contact@maxoddus.com

1.4. Emergency telephone number

See number above Mon - Fri 9am - 5pm

If you urgently need medical help or advice but it is not a life-threatening situation, call 111 free from any phone to speak to an NHS adviser. The 24-hour NHS 111 service can give you healthcare advice or direct you to the local service that can help you best.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

Skin corrosion	Category 1 - (H314)
Serious eye damage	Category 1 - (H318)

2.2. Label elements

Contains Alcohols, C9-11, ethoxylated; Tetrasodium Ethylene Diamine Tetraacetate; Alkyl Amidopropyl Betaine; Sodium Hydroxide

Detergent Labelling: < 5% Amphoteric surfactants, < 5% Anionic surfactants, < 5% EDTA and salts thereof, < 5% Non-ionic surfactants, Perfumes, CITRAL, LINALOOL, Limonene



Signal word
Danger

Hazard statements

H314 - Causes severe skin burns and eye damage.

Precautionary statements

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P260 - Do not breathe vapours/spray.

P280 - Wear protective gloves/protective clothing and eye/face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

Additional information

This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

Other hazards No information available.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable

3.2 Mixtures

Chemical name	CAS No.	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)

Alcohols, C9-11, ethoxylated	68439-46-3	1-5%	500-457-0	-	Acute Tox. 4 (H302) Eye Dam. 1 (H318)	-	-	-
Tetrasodium Ethylene Diamine Tetraacetate	64-02-8	1-5%	200-573-9	01-21194867 62-27-XXXX	Acute Tox. 4 (H302) Acute Tox. 3 (H332) Eye Dam. 1 (H318) STOT RE 2 (H373)	-	-	-
Alkyl Amidopropyl Betaine	147170-44-3	1-5%	931-296-8	-	Aquatic Chronic 3 (H412) Eye Dam. 1 (H318)	-	-	-
2-Butoxyethanol	111-76-2	1-5%	203-905-0	-	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Eye Irrit. 2 (H319) Skin Irrit. 2 (H315)	-	-	-
Sodium Hydroxide	1310-73-2	1-5%	215-185-5	-	Eye Dam. 1 (H318) Met. Corr. 1 (H290) Skin Corr. 1A (H314)	Eye Dam. 1 :: C>=2% Eye Irrit. 2 :: 0.5%<=C<2% Skin Corr. 1A :: C>=5% Skin Corr. 1B :: 2%<=C<5% Skin Irrit. 2 :: 0.5%<=C<2%	-	-

Full text of H- and EUH-phrases: see section 16Acute Toxicity Estimate

In the absence of LD50/LC50 data, the conversion value (converted acute toxicity point estimate) may be indicated here; please note that these values do not represent test results

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
2-Butoxyethanol 111-76-2	1200 ⁺	No data available	No data available	No data available	No data available

⁺ This value is the harmonised acute toxicity estimate (ATE) listed in GB CLP Annex VI, Part 3. This harmonised ATE value must be used when calculating the acute toxicity estimate (ATEmix) for classifying a mixture containing the listed substance

This product does not contain candidate substances of very high concern at a concentration >= 0.1% (UK REACH Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical attention.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Burning sensation.
Effects of Exposure	No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.
------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapours.
---	---

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections	See section 8 for more information. See section 13 for more information.
------------------------------------	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.
---------------------------	--

7.3. Specific end use(s)

Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
--------------------------------------	--

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure Limits**

Chemical name	United Kingdom
2-Butoxyethanol 111-76-2	TWA: 25 ppm TWA: 123 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*
Sodium Hydroxide 1310-73-2	STEL: 2 mg/m ³

Biological occupational exposure limits

Chemical name	United Kingdom
2-Butoxyethanol 111-76-2	240 mmol/mol creatinine - urine (Butoxyacetic acid) - post shift

Derived No Effect Level (DNEL) - Workers No information available

Chemical name	Oral	Dermal	Inhalation
Alcohols, C9-11, ethoxylated 68439-46-3		2080 mg/kg bw/day [4] [6]	294 mg/m ³ [4] [6]
Tetrasodium Ethylene Diamine Tetraacetate 64-02-8			1.5 mg/m ³ [4] [6]
Alkyl Amidopropyl Betaine 147170-44-3		12.5 mg/kg bw/day [4] [6]	44 mg/m ³ [4] [6]
2-Butoxyethanol 111-76-2		125 mg/kg bw/day [4] [6] 89 mg/kg bw/day [4] [7]	98 mg/m ³ [4] [6] 1091 mg/m ³ [4] [7] 246 mg/m ³ [5] [7]
Sodium Hydroxide 1310-73-2			1 mg/m ³ [5] [6]

Derived No Effect Level (DNEL) - General Public No information available.

Chemical name	Oral	Dermal	Inhalation
Alcohols, C9-11, ethoxylated 68439-46-3	25 mg/kg bw/day [4] [6]		87 mg/m ³ [4] [6]
Tetrasodium Ethylene Diamine Tetraacetate 64-02-8	25 mg/m ³ [4] [6]		1.2 mg/m ³ [4] [6]
Alkyl Amidopropyl Betaine 147170-44-3	7.5 mg/kg bw/day [4] [6]		13.04 mg/m ³ [4] [6]
2-Butoxyethanol 111-76-2	6.3 mg/kg bw/day [4] [6] 26.7 mg/kg bw/day [4] [7]	89 mg/kg bw/day [4] [6] 89 mg/kg bw/day [4] [7]	59 mg/m ³ [4] [6] 426 mg/m ³ [4] [7]

Chemical name	Oral	Dermal	Inhalation
			147 mg/m ³ [5] [7]
Sodium Hydroxide 1310-73-2		2 mg/kg/day [5] [6]	1 mg/m ³ [5] [6]

Predicted No Effect Concentration (PNEC) No information available.

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Alcohols, C9-11, ethoxylated 68439-46-3	0.10379 mg/L	0.014 mg/L	0.10379 mg/L		
Tetrasodium Ethylene Diamine Tetraacetate 64-02-8	2.2mg/L	1.2 mg/l	0.22 mg/l	1.2 mg/l	
Alkyl Amidopropyl Betaine 147170-44-3	0.0135 mg/L		0.00135 mg/L		
2-Butoxyethanol 111-76-2	8.8 mg/L	26.4 mg/L	0.88 mg/L		

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Alcohols, C9-11, ethoxylated 68439-46-3	13.7 mg/kg sediment dw	13.7 mg/kg sediment dw	1.4 mg/L	1 mg/kg soil dw	
Tetrasodium Ethylene Diamine Tetraacetate 64-02-8				0.72mg/kg	
Alkyl Amidopropyl Betaine 147170-44-3	14.8 mg/kg sediment dw	1.48 mg/kg sediment dw	3000 mg/L	0.8 mg/kg soil dw	
2-Butoxyethanol 111-76-2	34.6 mg/kg sediment dw	3.46 mg/kg sediment dw	463 mg/L	2.33 mg/kg soil dw	0.02 g/kg food

8.2. Exposure controls

Engineering controls

Showers
Eyewash stations
Ventilation systems.

Personal protective equipment

Eye/face protection

Tight sealing safety goggles. Face protection shield. Eye protection must conform to standard EN 166.

Hand protection

Wear suitable gloves. Impervious gloves. Gloves must conform to standard EN 374.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Respiratory protection

Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Physical state	Liquid
Colour	yellow
Odour	Characteristic
Odour threshold	No information available

Property	Values	Remarks • Method
pH	13	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapour pressure	No data available	None known
Relative vapour density	No data available	None known
Relative density	~1	None known
Bulk density	No data available	
Liquid Density	No data available	
Solubility(ies)	Soluble in water	None known
Water solubility	Soluble in water	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
SADT (°C)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Particle characteristics		
Particle Size	No data available	
Particle Size Distribution	No data available	
Explosive properties	No data available	
Oxidising properties	No data available	

9.2. Other information

VOC content	No data available
-------------	-------------------

Information with regards to physical hazard classes

Explosives	Not applicable
------------	----------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	No information available.
------------	---------------------------

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods.

10.5. Incompatible materials

Incompatible materials Acids. Bases. Oxidising agent.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity Based on available data, the classification criteria are not met.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	9,122.50 mg/kg
ATEmix (dermal)	49,215.00 mg/kg
ATEmix (inhalation-gas)	96,223.30 ppm
ATEmix (inhalation-vapour)	235.20 mg/l
ATEmix (inhalation-dust/mist)	99,999.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Alcohols, C9-11, ethoxylated	= 1400 mg/kg (Rat)	-	-
Tetrasodium Ethylene Diamine Tetraacetate	LD50 rat (Oral): > 2,000 mg/kg	LD50 rat (Oral): > 5,000 mg/kg	LC50 rat (by inhalation): > 1 mg/l 5 d
2-Butoxyethanol	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h = 486 ppm (Rat) 4 h
Sodium Hydroxide	= 325 mg/kg (Rat)	= 1350 mg/kg (Konijn)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes severe skin burns and eye damage.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye damage. Causes burns.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Other adverse effects	No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Tetrasodium Ethylene Diamine Tetraacetate	EC50 (48 h) > 100 mg/l	LC50 (96 h) > 100 mg/l, <i>Lepomis macrochirus</i>	-	EC50 (48 h) > 500 mg/l, <i>Daphnia magna</i>
2-Butoxyethanol	-	LC50: =1490mg/L (96h, <i>Lepomis macrochirus</i>) LC50: =2950mg/L (96h, <i>Lepomis macrochirus</i>)	-	EC50: >1000mg/L (48h, <i>Daphnia magna</i>)
Sodium Hydroxide	-	LC50: =45.4mg/L (96h, <i>Oncorhynchus mykiss</i>)	-	156 mg/l, (46h <i>Daphnia magna</i>)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
2-Butoxyethanol	0.81

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Alcohols, C9-11, ethoxylated	The substance is not PBT / vPvB
Tetrasodium Ethylene Diamine Tetraacetate	The substance is not PBT / vPvB
Alkyl Amidopropyl Betaine	The substance is not PBT / vPvB
2-Butoxyethanol	The substance is not PBT / vPvB
Sodium Hydroxide	The substance is not PBT / vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information**IATA**

14.1 UN number or ID number

UN1760

14.2 UN proper shipping name

Corrosive liquid, n.o.s. Contains Sodium Hydroxide

14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN1760, Corrosive liquid, n.o.s. Contains Sodium Hydroxide, 8, III
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	A3, A803
ERG Code	8L

IMDG

14.1 UN number or ID number	UN1760
14.2 UN proper shipping name	Corrosive liquid, n.o.s. Contains Sodium Hydroxide
14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN1760, Corrosive liquid, n.o.s. Contains Sodium Hydroxide, 8, III
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	274, 223 F-A S-B
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	UN1760
14.2 UN proper shipping name	Corrosive liquid, n.o.s. Contains Sodium Hydroxide
14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN1760, Corrosive liquid, n.o.s. Contains Sodium Hydroxide, 8, III
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	274
Classification code	C9

ADR

14.1 UN number or ID number	UN1760
14.2 UN proper shipping name	Corrosive liquid, n.o.s. Contains Sodium Hydroxide
14.3 Transport hazard class(es)	8
14.4 Packing group	III
Description	UN1760, Corrosive liquid, n.o.s. Contains Sodium Hydroxide, 8, III, (E)
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	274
Classification code	C9
Tunnel restriction code	(E)

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Authorisations and/or restrictions on use:**

This product does not contain substances subject to authorisation (UK REACH - Annex XIV). This product does not contain substances subject to restriction (UK REACH - Annex XVII).

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Named dangerous substances per COMAH (SI 2015/483 as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Not applicable

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons and Explosive Precursors

Chemical name	Poisons and Explosive Precursors
Sodium Hydroxide	Gif, rapporteerbaar 12% van de totale bijtende alkaliteit

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECL	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status
TCSI	Contact supplier for inventory compliance status

Legend:

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing Chemicals Inventory
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals
TCSI - Taiwan Chemical Substance Inventory

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of any hazard and/or precautionary statements referred to under Sections 2-15**

- H290 - May be corrosive to metals
H302 - Harmful if swallowed
H312 - Harmful in contact with skin
H314 - Causes severe skin burns and eye damage
H315 - Causes skin irritation

H318 - Causes serious eye damage
 H319 - Causes serious eye irritation
 H332 - Harmful if inhaled
 H373 - May cause damage to organs through prolonged or repeated exposure
 H412 - Harmful to aquatic life with long lasting effects
 P260 - Do not breathe dust, fume, gas, mist, vapors and spray
 P264 - Wash face, hands and any exposed skin thoroughly after handling
 P280 - Wear protective gloves, protective clothing, eye protection and face protection
 P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
 P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
 P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P310 - Immediately call a POISON CENTER or doctor
 P321 - Specific treatment (see supplemental first aid instructions on this label)
 P363 - Wash contaminated clothing before reuse
 P405 - Store locked up
 P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

Legend

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CLP	Classification, Labelling and Packaging Regulation; Regulation (EC) No 1272/2008
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
EC Number	European Community number
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	Environmental Protection Agency
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organisation
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organisation for Standardisation
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MARPOL	International Convention for the Prevention of Pollution from Ships
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate

NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
REACH	Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
SVHC	Substance of very high concern
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
Sen+	Sensitiser
Sk*	Skin designation
**	Hazard Designation

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]

	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 Environmental Protection Agency
 Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 20/05/2025

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)
Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet